



- 1 0 綿布
- 1 1 リング体
- 1 2 隆起部
- 1 3 空隙部
- 1 4 押え板
- 1 5 ビス


【図 1】




【図 2】




【図 3】



【図 4】



【図 5】



DERWENT-ACC-NO: 2006-280287

DERWENT-WEEK: 200629

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Multifunctional scratching tool for e.g. elderly has cylindrical column that is freely attachable and detachable to and from other end of rod-shaped element with the use of belt

INVENTOR: MORI, M

PATENT-ASSIGNEE: MORI M[MORII]

PRIORITY-DATA: 2004JP-0290351 (October 1, 2004)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	
MAIN-IPC				
JP <u>2006101989</u> A	April 20, 2006	N/A	007	A61H
007/00				

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO	APPL-DATE
JP2006101989A	N/A	2004JP-0290351	October 1, 2004

INT-CL (IPC): A61H007/00, A61H023/06 , A61M035/00

ABSTRACTED-PUB-NO: JP2006101989A

BASIC-ABSTRACT:

NOVELTY - A medical agent application portion (5) with one or more shallow ring-shaped recesses (4) forming a corrugated surface. The application portion has a portion (3), which receives a rod-shaped element (1). A cylindrical column (6) is freely attachable and detachable to and from the other end of the rod-shaped element with the use of a belt (8). A ring (11) is adapted to receive a cotton fabric (10) being used for application.

USE - Used by e.g. elderly for applying medical agent to a region unreachable by the hand, and for shoulder massaging.

ADVANTAGE - Promotes convenience and ease of use.

DESCRIPTION OF DRAWING(S) - The figure shows the perspective diagram of a multifunctional scratching tool.

Rod-shaped element 1

Portion 3

Ring-shaped recesses 4

Medical agent application portion 5

Cylindrical column 6

Belt 8

Cotton fabric 10

Ring 11

CHOSEN-DRAWING: Dwg.1/5

TITLE-TERMS: MULTIFUNCTION SCRATCH TOOL ELDERLY CYLINDER COLUMN FREE ATTACH
DETACH END ROD SHAPE ELEMENT BELT

DERWENT-CLASS: P33 P34

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2006-239030